# SUPPLIER'S DECLARATION OF CONFORMITY (SDoC)

## Supplier's Declaration of Conformity for Material Declaration (MD) management

1	SDoC identification number	9502000Sdoc/11/2020		
2	Issuer's name	Wescom Signal and Rescue Germany GmbH		
	Issuer's address	Vielaender Weg 147		
		27574 Bremerhaven / Germany		
3	Object(s) of the declaration	Pains Wessex Linethrower 250, Art. 9502000		
4	The object(s) of the declarati	on described above is in conformity with th	ne following documents:	
	Document No.	Title		Edition/date of issue
5	424.003	EC-Type Approval MED Module B Certificate		13. Dez 17
	0589.PYR.4370/10	EC-Type Approval CE 0589-P2-0016		29.09.2011
6	Additional information			
		8_		
7	Signed for and on behalf of			
	Wescom Signal and Rescue Ge	rmany GmbH		
	Bremerhaven, 10th Dec. 2020			
	(place and date of issue)		$\Omega$	1
	Regina Diekert, Director Projects	and Commercials	Y. Well	d/
	(name, function)		(signature)	

Click here for a brief summary of why this form needs to be completed.

## **MATERIAL DECLARATION (MD)**

#### <Date of declaration>

-		_
Date	10.12.2020	

#### <MD identification number>

MD ID-No.	9502000

#### Other information>

Cottler Illioimation>						
Remark 1						
Remark 2						
Remark 3						

### <Supplier (respondent) information>

Company name	Wescom Signal and Rescue Germany GmbH					
Division name						
Address	Vielaender Weg 147, 27574 Bremerhaven					
Contact person	Regina Diekert / Claudia Köster					
Telephone number	494713930					
Fax number	49471393210					
Email address	info@wescomsignal.com					
SDoC ID number	9502000Sdoc/11/2020					

### <Pre><Product information>

Product name	Product number	Delive	ed unit	Product information
	Trought Hamber	Amount	Unit	Floudet illiolingtion
Pains Wessex Linethrower 250	9502000	4.8	kg	Used for line-throwing operations at sea

#### <Materials information>

This materials information shows the amount of hazardous materials contained in

Unit
106 g

(Unit kg, m, m<sup>2</sup> m<sup>3</sup> piece, etc.) of the product

Table	Material name		Threshold value	Present above threshold value? Yes / No	If yes, material mass		If yes, information on where it is used
					Mass	Unit	
	Asbestos	Asbestos	0_1% *	No			
	Polychlorinated biphenyls (PCBs)	Polychlorinated biphenyls (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs	No threshold value	No			
Table A	Ozone Depleting Substance (ODS)	Carbon tetrachloride		No			
(materials		1, 1, 1-Trichloroethane		No			
appendix 1 of The		Hydrochlorofluorocarbons		No			
Convention)		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a	e.g. Tributyltin (TBT)		No			
		e.g. Triphenyl tins (TPTs)	2500 mg lolal tin/kg	No			
	biocide	e g Tributyltin oxide (TBTO)		No			
EU SRR **	Perfluorooctar	ne sulfonic acid (PFOS)***	10 mg/kg	No			

Table	Material name	Threshold value	Present above threshold value?	If yes, material mass		If yes, information on where it is used	
			Yes / No	Mass Unit			
	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1000 mg/kg	No				
	Lead and lead compounds	1000 mg/kg	No				
Table B	Mercury and mercury compounds	1000 mg/kg	No				
(materials listed in appendix 2 of	Polybrominated biphenyl (PBBs)	50 mg/kg	No				
the Convention)	Polybrominated diphenyl ethers (PBDEs)	1000 mg/kg	No				
	Polychloronaphthalenes (CI >=3)	50 mg/kg	No				
	Radioactive substances	No threshold value	No				
	Certain shortchain chlorinated paraffins	1%	No				
EU SRR **	Brominated flame retardant (HBCDD)	100 mg/kg	No				

<sup>\*</sup> In accordance with regulation 4 of the IMO Hong Kong Convention, for all ships, new installation of materials which contain asbestos shall be prohibited. According to the UN recommendation "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" adopted by the United Nations Economic and Social Council's Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (UNSCEGHS), the UN's Sub-Committee of Experts, in 2002 (published in 2003), carcinogenic mixtures classified as Category 1A (including asbestos mixtures) under the GHS are required to be labelled as carcinogenic if the ratio is more than 0.1%. However, if 1% is applied, this threshold value should be recorded in the Inventory and, if available, the Material Declaration and can be applied not later than five years after the entry into force of the Convention. The threshold value of 0.1% need not be retroactively applied to those Inventories and declarations.

Click here for a brief summary of why this form needs to be completed

<sup>\*\*</sup> Additional materials to be listed, in accordance with Annex I and Annex II of the European Union Ship Recycling Regulation (Regulation (EU) No 1257/2013). Threshold values taken from the EMSA Best Practice Guidance on the Inventory of Hazardous Materials

<sup>\*\*\*</sup> Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.